

BOSTON USA

Model no: 65PIXEL-11




android 11

Android 11
Operating
System



Available Up to 8gb
System
Memory



Up to 128 GB System
Storage



USB TYPE-C

Front Type-C USB Port



USB3.0 x3ports In Front



20 point Touch Screen



Wireless Screen
Sharing up to 4
devices



4k ULTRA High Definition



Contact No: 7840014144

SMARTGURU

Model no: 65PIXEL-11



Panel	LCD Size	65"	
	Type of Panel	BOE ADS Panel / LG IPS Panel	
	Respond Time	6ms	
	Visual Ratio	16:9	
	Max Visual Area	1428.48 (H) ×803.52 (V mm	
	Resolution	3840 (H) ×2160 (V)	
	Pixel pitch	0.372×0.372mm	
	Frequency	60Hz	
	Display Colors	1.07B (10bit)	
	Color Saturability	72%	
	Contrast Ratio (Type)	4000:1	
	Viewing Angle	178°(H/V)	
	Light source	DLED	
	Brightness	400cd/m2	
	Life Span	≥30000hrs	
Audio-video parameters	Speaker	Soundtrack	2.0
		Power	2×20W
Touch parameter	Touch specifications	Non-contact infrared sensing technology	
	Support Systems	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome	
	Touch Points	20 Points Touch	
	Min. Identifier	2mm	
	Input mode	Opaque object (finger, pen, etc)	
	Respond time	≤10ms	
	Touch depth	±1mm	
	Writing height	≤3mm	
	Writing display	Single Stylus pen two-color	
Output co-ordinates	32767 (W) x 32767(D)		
System	System Version	Android 11.0	
	CPU	Quad Core A55	
	GPU	Mali G52MP2	
	RAM	4GB / 8GB System Memory	
	ROM	32GB / 128gb System Storage	
Wireless	Bluetooth	Version	5.0
		Working Frequency	2.4GHz
		Working Distance	0~10m
		Remark	Via the wireless module SI07B

Contact No: **7840014144**

SMARTGURU

Model no: 65PIXEL-11



	Wi-Fi	Version	802.11ac/b/g/n/a/ax
		Working Frequency	2.4GHz/5GHz
		Working Distance	0~10m
		Remark	Via the wireless module SI07B
I/O Interface	HDMI IN	2	
	USB 2.0	1	
	USB 3.0	2	
	TOUCH	1	
	AUDIO IN	1	
	Line OUT	1	
	Optical OUT	1	
	RS232	1	
	RJ45 OUT	1	
	RJ45 IN	1	
Front Interface	USB3.0	2	
	TOUCH USB	1	
	HDMI I	1	
	Type-C	1 (Full functional is Optional)	
Power	Voltage	100-240V ~ 50/60Hz 4A	
	Max. power consumption	280W	
	Standby power consumption	≤0.5W	
Structure	Bare dimension	1488.4×896.6×87.2mm	
	Packing dimension	1630×220×1050mm	
	Machine + wall mount thickness	116.5mm (WIB9060G)	
	VESA hole site	600×400mm	
	Wall mounting screw specifications	M8×25mm	
	Net weight	45KG	
	Gross weight	56KGS	
Accessories	Power cord	×1	
	Stylus pen	×2	
	Wall mount	×1	
	Operation manual	×1	
Environment	Working temperature	0°C~40°C	
	Working humidity	10%~90%RH	
	Storage temperature	-20°C~60°C	
	Storage humidity	10%~90%RH	
	Working Elevation	<5000m	

Contact No: 7840014144



Model no: 65PIXEL-11

BOSTON USA



3 YEAR WARRANTY

Contact No: 7840014144

SMARTGURU

Model no: INFINITE-10

BOSTON USA

4K UHD PTZ CAMERA



Video System	HDMI: 4KP30,4KP29.97, 4KP25, 1080P60, 1080P50,
Sensor	1/2.5", CMOS, Max Effective Pixel: 8.51M
Scanning Mode	Progressive
Lens	12x, f = 4.4mm ~ 52.8mm, F1.8 ~ F2.6
Digital zoom	16X
Minimal Illumination	0.5Lux @ (F1.8, AGC ON)
Shutter	1/30s ~ 1/10000s
White Balance	Auto, Indoor, Outdoor, One Push, Manual, Specified color temperature
Backlight Compensation	Support
Digital Noise Reduction	3D Digital Noise Reduction
Video S/N	≥55dB
Horizontal Angle of View	71° ~ 8.2°
Vertical Angle of View	42.7° ~ 4.5°
Horizontal Rotation Range	±170°
Vertical Rotation Range	-30° ~ +30°
Pan Speed Range	1.7° ~ 76°/s
Tilt Speed Range	0.5° ~ 15°/s
H & V Flip	Support
Image freezing	Support
PoE	support
Number of Preset	255
Preset Accuracy	0.1°

Contact No: **7840014144**

SMARTGURU