

Model no. 75PIXEL-11

**BOSTON USA**



**android 11**


Android 11  
Operating  
System



Available Up to 8gb  
System  
Memory



Up to 128 GB System  
Storage



**USB TYPE-C**

Front Type-C USB Port



USB3.0 x3 ports In Front



20 point Touch Screen



Wireless Screen Sharing  
up to 4 devices



4k ULTRA High Definition



Contact No: 7840014144

**SMARTGURU**

<b>Panel</b>	LCD Size	<b>75"</b>	
	Type of Panel	<b>BOE ADS Panel / LG IPS Panel</b>	
	Respond Time	<b>8ms</b>	
	Visual Ratio	16:9	
	Max Visual Area	1649.664(H)×927.936(V)mm	
	Resolution	3840 (H) ×2160 (V)	
	Pixel pitch	0.4296×0.4296mm	
	Frequency	60Hz	
	Display Colors	1.07B (10bit)	
	Color Saturability	72%	
	Contrast Ratio (Type)	<b>4000:1</b>	
	Viewing Angle	178°(H/V)	
	Light source	DLED	
	Brightness	<b>400cd/m2</b>	
	Life Span	≥30000hrs	
<b>Audio-video parameters</b>	Soundtrack	2.0	
	Speaker Power	<b>2×20W</b>	
<b>Touch parameter</b>	Touch specifications	Non-contact infrared sensing technology	
	Support Systems	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome	
	Touch Points	20 Points Touch	
	Min. Identifier	2mm	
	Input mode	Opaque object (finger, pen, etc)	
	Respond time	≤10ms	
	Touch depth	±1mm	
	Writing height	≤3mm	
	Writing display	Single Stylus pen two-color	
Output co-ordinates	32767 (W) x32767(D)		
<b>System</b>	System Version	Android 11.0	
	CPU	Quad Core A55	
	GPU	Mali G52MP2	
	RAM	<b>4GB / 8GB</b> System Memory	
	ROM	<b>32GB / 128gb</b> System Storage	
<b>Wireless</b>	Bluetooth	Version	5.0
		Working Frequency	2.4GHz
		Working Distance	0~10m
		Remark	Via the wireless module SI07B

Model no. 75PIXEL-11



	Wi-Fi	Version	802.11ac/b/g/n/a/ax
		Working Frequency	2.4GHz/5GHz
		Working Distance	0~10m
		Remark	Via the wireless module SI07B
I/O Interface	HDMI IN	2	
	USB 2.0	1	
	USB 3.0	2	
	TOUCH	1	
	AUDIO IN	1	
	Line OUT	1	
	Optical OUT	1	
	RS232	1	
	RJ45 OUT	1	
	RJ45 IN	1	
Front Interface	USB3.0	2	
	TOUCH USB	1	
	HDMI I	1	
	Type-C	1 (Full functional is Optional)	
Power	Voltage	100-240V ~ 50/60Hz 4A	
	Max. power consumption	350W	
	Standby power consumption	≤0.5W	
Structure	Bare dimension	1709×1020×88mm	
	Packing dimension	1860×220×1160mm	
	Machine + wall mount thickness	118mm (WIB9060G)	
	VESA hole site	800×400mm	
	Wall mounting screw specifications	M8×25mm	
	Net weight	58KGS	
	Gross weight	68KGS	
Accessories	Power cord	×1	
	Stylus pen	×2	
	Wall mount	×1	
	Operation manual	×1	
Environment	Working temperature	0°C~40°C	
	Working humidity	10%~90%RH	
	Storage temperature	-20°C~60°C	
	Storage humidity	10%~90%RH	
	Working Elevation	<5000m	

Contact No: 7840014144



Model no: 75PIXEL-11

# BOSTON USA



**3 YEAR WARRANTY**

Contact No: 7840014144

**SMARTGURU**

Model no: INFINITE-10

# 4K UHD PTZ CAMERA



Video System	HDMI: 4KP30,4KP29.97, 4KP25, 1080P60, 1080P50,
Sensor	1/2.5", CMOS, Max Effective Pixel: 8.51M
Scanning Mode	Progressive
Lens	12x, f = 4.4mm ~ 52.8mm, F1.8 ~ F2.6
Digital zoom	16X
Minimal Illumination	0.5Lux @ (F1.8, AGC ON)
Shutter	1/30s ~ 1/10000s
White Balance	Auto, Indoor, Outdoor, One Push, Manual, Specified color temperature
Backlight Compensation	Support
Digital Noise Reduction	3D Digital Noise Reduction
Video S/N	≥55dB
Horizontal Angle of View	71° ~ 8.2°
Vertical Angle of View	42.7° ~ 4.5°
Horizontal Rotation Range	±170°
Vertical Rotation Range	'-30° ~ +30°
Pan Speed Range	1.7° ~ 76°/s
Tilt Speed Range	0.5° ~ 15°/s
H & V Flip	Support
Image freezing	Support
PoE	support
Number of Preset	255
Preset Accuracy	0.1°